





CONFIDENTIAL
 THIS MATERIAL IS OWNED BY THE ALLIED MOULDED PRODUCTS COMPANY. IT IS DISCLOSED IN CONFIDENCE AND IS NOT TO BE REPRODUCED OR DISTRIBUTED WITHOUT PRIOR WRITTEN PERMISSION FROM ALLIED MOULDED PRODUCTS.
 © 2018 Allied Moulded Products, Inc.
 All Rights Reserved

Date	Rev	Description	ECN No.	DR	CK	REL
07/03/2019		INITIAL RELEASE	ECN-276	DJL	BFB	GEL
-	-	-	-	-	-	-
-	-	-	-	-	-	-



NOTES:

1. MATERIAL TO BE TYPE I PVC.
2. ALL TOLERANCES TO BE $\pm .015$ UNLESS OTHERWISE NOTED.
3. MAXIMUM OPERATING TEMPERATURE TO BE 140 °F.

DRAWING STAMP		MOLD VERSION		PROJECT NO.	ASSET NO.	BOM PART NO.	70-60827PC-5
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		STANDARD SYMBOLS D+ = PLUS DRAFT D- = MINUS DRAFT		 ALLIED MOULDED PRODUCTS BRYAN, OHIO The Original Fiber Glass Outlet Box			
TOLERANCES: .XX = $\pm .01$.XXX = $\pm .005$ FRACTIONAL $\pm 1/64$ ANGULAR $\pm 0^{\circ}30'$		D DRAWING SIZE: 1" = 1" DRAFT 3" = 3" DRAFT 5" = STEEL SAFE					
STRAIGHTNESS &/OR FLATNESS: .005" MACHINED SURFACES: 125 OR BETTER PERPEND.: \perp .005" CONCEN.: \odot .005"		FINISH / HEAT TREAT Finish 1		DRAWN DJL 6/27/2019		07/03/2019 07/22/2019 07/23/2019	
		SHEET 1 OF 1 DO NOT SCALE		CRIB NO.:		PRINT NUMBER 70-60827PC-5	
2ND CHECK BFB RELEASED		07/22/2019		07/23/2019		REV	